



## DEKRO PAINTS (PTY) LTD

REG. No. 66/02326/07

26 FABRIEK STREET

KUILS RIVER 7580

Tel 021-903-3131

Fax 021 903-2307

Name : Sents Galv Blue Code : 181020 Date Issued : 5/28/2008



Flammable



Toxic



### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION

Name : Sents Galv Blue Code : 181020 Date Issued : 5/28/2008

CAS no. : n/a EC no. : n/a

UN No. : 1263 Hazchem : 3[Y]E SAPMA : 1-H-J

In emergency contact Dekro Paints , Cape Town (Chief Chemist ( Mr.S. Jansen)) at (021) 9033131

### SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

[F R11][T R20/21/22,39]

EC Classification : F T R11,20/21/22,39 S01/02,36/37,13,16,43A,45,51

#### HAZARDOUS AND/OR OTHER RELEVANT COMPONENTS

METHYL ALCOHOL >10%

[CAS #: 67-56-1] [E.C. #: 603-001-00-X]

EEC Labels : F T OEL 260mg OEL 200ppm STOEL 310mg STOEL 250ppm RL+ S

METHOXY PROPANOL

[CAS #: 107-98-2] [E.C. #: 603-064-00-3]

EEC Labels : OEL 360mg OEL 100ppm STOEL 1080mg STOEL 300ppm RL S

ORTHO-PHOSPHORIC ACID >25% <10%

[CAS #: 7664-38-2] [E.C. #: 015-011-00-6]

EEC Labels : C STOEL 2mg RL

(CL/RL = Controlled/Recommended level 'S' = Skin annotation)

### SECTION 3. HAZARDS IDENTIFICATION

SAPMA Health Rating : 1-SERIOUS - Major injury likely unless prompt action taken and treatment given

Inhalation : HARMFUL. Excessive exposure to this material must be avoided.

Skin : HARMFUL BY CONTACT.

Eyes : EYES PHRASES (FIELD 1) - PLEASE EDIT - USE ARROWS

Ingestion : Harmful if swallowed.

No carcinogenic, mutagenic or genetic effects established

May have short term environmental effects. Contain, monitor & remove.

### SECTION 4. FIRST AID MEASURES

Inhalation : Move to fresh air. In case of discomfort seek medical attention.

Skin : Use hand cleaner/soap & water. Remove contaminated clothing. If any discomfort get medical attention

Eyes : EYES (FIELD 3) - PLEASE EDIT - USE ARROWS

Ingestion : Wash mouth with plenty of water. Do NOT induce vomiting. Seek medical advice.

### SECTION 5. FIRE FIGHTING MEASURES

FIRE PHRASES (FIELD 1) - PLEASE EDIT - USE ARROWS

EXPLOSION PHRASES (FIELD 1) - PLEASE EDIT - USE ARROWS

FIRE PHRASES (FIELD 3) - PLEASE EDIT - USE ARROWS

EXPLOSION PHRASES (FIELD 3) - PLEASE EDIT - USE ARROWS

### SECTION 6. ACCIDENTAL RELEASE MEASURES - SEE ALSO SECTIONS 5, 8, 13

SPILLAGE PHRASES - PLEASE EDIT - USE ARROWS

### SECTION 7. HANDLING AND STORAGE

STORAGE PHRASES - PLEASE EDIT - USE ARROWS

FIRE PHRASES (FIELD 2) - PLEASE EDIT - USE ARROWS  
EXPLOSION PHRASES (FIELD 2) - PLEASE EDIT - USE ARROWS

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

SAPMA Rating : 1-H-J PPE : Full cover with hood  
Inhalation : In case of insufficient ventilation, use suitable respiratory protection.  
Skin : Avoid direct contact. Use barrier cream and impervious gloves.  
Eyes : EYES (FIELD 2) - PLEASE EDIT - USE ARROWS  
Ingestion : Observe the rules of hygiene. Wash before eating, drinking or smoking.  
OEL Type : Mix- Mixture - See Section 2 Skin annotation



## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical class : PAINT Description : Viscous liquid Smell : Pungent  
Boil. pt (C) : >35  
FlashPoint (C) : <23  
--

## SECTION 10. STABILITY AND REACTIVITY

Stable under normal conditions  
Inert - no reaction with fire-fighting water

## SECTION 11. TOXICOLOGICAL INFORMATION

No carcinogenic, mutagenic or genetic effects established

## SECTION 12. ECOLOGICAL INFORMATION

May have short term environmental effects. Contain, monitor & remove.

## SECTION 13. DISPOSAL INFORMATION

Hazardous. Use reputable waste disposal contractors. Destroy used containers.

## SECTION 14. TRANSPORT INFORMATION

UN no : 1263 Packing group : II IMO Class : 3.2 IMO Subsid : 6.1 Marine Pollutant Class : Y  
Hazchem : 3[Y]E



## SECTION 15. REGULATORY INFORMATION

EC no. : n/a Contains : METHYL ALCOHOL  
EC Classification : F T R11,20/21/22,39 S01/02,36/37,13,16,43A,45,51  
R11 - Highly Flammable  
R20/21/22 - Harmful by inhalation, in contact with the skin and if swallowed  
R39 - Danger of very serious irreversible effects  
S1/2 - Keep locked up and out of the reach of children. (Retail sales items)  
S36/37 - Wear suitable protective clothing and gloves  
S13 - Keep away from food, drink and animal feeding stuffs  
S16 - Keep away from sources of ignition - No smoking  
S43A - In case of fire, use water fog, foam or powder - Do not use water jets!  
S45 - In case of accident or if you feel unwell, seek medical advice immediately (show label where possible)  
S51 - Use only in well ventilated areas



## SECTION 16. OTHER INFORMATION

IN CASE OF ANY DISCOMFORT ALWAYS SEEK MEDICAL ADVICE.

-----  
This MSDS conforms with General Administrative Regulations of 6 Sept. 1996 (ISO-11014/ANSIZ400.1.1996)  
OELs derived from OHS Act Regulations for Dangerous Chemical Substances of 25 Aug. 1995 (EH-42)  
SAPMA Rating - South African Paint Manufacturers Association Guide to Health Hazards (SABS ARP 006:1991)  
All information is given in good faith but without guarantee in respect of accuracy.  
No responsibility is accepted for errors or omissions or the consequences thereof.