

## MATERIAL SAFETY DATA SHEET

NAME: FIXIT DOUBLE STRENGTH PAINT REMOVER REF. CODE: R142-0806 Date: 2007-12-05

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION

NAME: FIXIT DOUBLE STRENGTH PAINT REMOVER CODE: R142-0806

CONTAINS DICHLOROMETHANE\*

MANUFACTURER: ICI DULUX (PTY) LTD; PAINTS PLACE; DICKENS ROAD; UMBOGINTWINI; 4126.

PHONE NUMBERS: 011-861-1000; 031-904-8000. FAX NUMBERS: 011-908-5204; 031-904-8196

C.A.S. No.: PREPARATION E.C. No.: E.C. LABEL:

UN/SIN No.: NONE ERG: 160 HAZCHEM: 2 Z

HAZARD RATING: N N 1 SAPMA: 2-H-E

IN EMERGENCY CONTACT: JOHN REID AT PHONE: 011 861 1235

## SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

EC CLASSIFICATION: XN, R40,45 S2,23A,24/25,36/37 see Section 15

\* DICHLOROMETHANE >50% CAS 75-09-2 OEL.TWA: 350mg/m<sup>3</sup> Control Limit

NO OTHER HAZARDOUS SUBSTANCES PRESENT

## SECTION 3. HAZARDS IDENTIFICATION

SAPMA HEALTH RATING: 2-MODERATE - Temporary or minor injury possible even if treatment is given.

INHALATION: Irritating, narcotic. Can affect CNS.

SKIN: Irritating, risk of dermatitis.

EYES: Highly irritating and risk of irreversible damage.

INGESTION: Irritating.

Human Carcinogen Cat 3. (EEC/CHIP2)

Medium to long term environmental effects. Contain, collect & remove.

## SECTION 4. FIRST AID MEASURES

INHALATION: Move to fresh air. In case of discomfort seek medical attention.

SKIN: Use hand cleaner or plenty of soap and water. Remove contaminated clothing.

If any discomfort persists, seek medical attention

EYES: ACT FAST! Rinse immediately with plenty of water. Refer immediately to Doctor.

INGESTION: Wash mouth with plenty of water. Do NOT induce vomiting. Seek medical advice.

## SECTION 5. FIRE FIGHTING MEASURES

FIRE RATING: Non-combustible. Gives off toxic fumes at high temperatures.

EXPLOSION: Containers liable to burst in a fire.

EXTINGUISH: Cool with water spray or fog. Contain run-off and keep out of storm water drains.

Store containers with due care in case of fire.

## SECTION 6. ACCIDENTAL RELEASE MEASURES - SEE ALSO SECTIONS 5,8 &amp; 13

CONTAIN & COLLECT. KEEP OUT OF DRAINS & SEWERS.

## SECTION 7. HANDLING AND STORAGE

EXPLOSION: Keep Containers tightly closed, cool & under cover out of direct sunlight

STORAGE: Store away from combustible substances

FIRE: Cool containers in case of fire

NAME: FIXIT DOUBLE STRENGTH PAINT REMOVER REF. CODE: R142-0806

DATE: 2007-12-05

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OEL.TWA: 100ppm 350mg/m<sup>3</sup> TYPE: OHS Act Control limit

SAPMA RATING: 2-H-E PPE: Respirator &amp; suitable eye protection

INHALATION: NEVER smoke while using! In case of insufficient ventilation, use suitable respiratory protection.

SKIN: Use barrier cream and impervious gloves.

EYES: Use full-face respirator or hood. Avoid direct contact.

INGESTION: Observe the rules of hygiene. Wash before eating, drinking or smoking.

GENERAL: Appropriate hand protection and protective clothing must always be used

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

CHEMICAL CLASS: PAINT REMOVER CONTAINING DICHLOROMETHANE.

APPEARANCE: OPAQUE LIQUID DENSITY: 1.33

MELTING POINT: -96°C BOILING POINT/RANGE: 38 – 120°C

SOLUBILITY:- WATER: Slightly soluble FLASH POINT: None

## SECTION 10. STABILITY AND REACTIVITY

STABILITY: Stable if stored under normal conditions. Hazardous polymerisation will not occur.

## SECTION 11. TOXICOLOGICAL INFORMATION

Human Carcinogen Cat 3. (EEC/CHIP2)

LD<sub>50</sub> ORAL: 2136 mg/kg (rat) LD<sub>50</sub> SKIN: mg/kg LC<sub>50</sub> INHALATION: mg

## SECTION 12. ECOLOGICAL INFORMATION

Medium to long term environmental effects. Contain, collect &amp; remove.

## SECTION 13. DISPOSAL CONSIDERATIONS

Hazardous. Use reputable waste disposal contractors. Destroy used containers.

## SECTION 14. TRANSPORT INFORMATION

UN No.: NONE PACKING GROUP: N/A HAZCHEM CODE: 2 Z EA CODE: 160

IMO CLASS: N/A

## SECTION 15. REGULATORY INFORMATION

EC INDEX No.: 602-004-00-3 EEC LABEL No. (EINECS/ELINCS): 200-838-9 XN Harmful

R40 Possible risk of irreversible effects

R45 May cause cancer

S2 Keep out of reach of children (Retail Sales)

S23A Do not breathe fumes, vapour or spray.

S24/25 Avoid contact with skin and eyes

S36/37 Wear suitable protective clothing and gloves

## SECTION 16. OTHER INFORMATION

THIS SUBSTANCE IS A POTENTIAL CARCINOGEN - ENSURE PRECAUTIONS ARE TAKEN.  
IN CASE OF ANY DISCOMFORT ALWAYS SEEK MEDICAL ADVICE.